

D100

FUNCTION:

- **300W Total System Power**
- **DVD Player Supports Divx,DVD, SVCD, VCD,**
- **CD,CD-R, CD-RW, HDCD, Kodak Picture CD**
- **HDMI, 1080I , IPOD Input , USD MP3 play,**
SCART Connection
- **AM/FM Tuner**
- **Component, S-Video, AV Outputs**
- **Coaxial Digital Audio Output**



DVD CINEMA SYSTEM	Front,	Centre	Surround	Subwoofer
Driver units	3"	3"*2	3"	8"
Freq Response	150-20kHz	150-20kHz	150-20kHz	45-150Hz
Impedance	3Ω	6Ω	3Ω	6Ω
Power Handling	37.5W	75W	37.5W	75w
Dimensions (mm)-H*W*D	96x198 x75	92 x380 x75	96x198 x75	200x415x380
Net Weight (kg/Set)	14.92			
Gross Weight (kg/Set)	17.42			
Carton Size (mm)	480x450x435			
CBM/Set	0.94			
20° (Set)	311			
40° (Set)	630			
40°HQ(Set)	726			

D120

FUNCTION:

- **600W Total System Power**
- **DVD Player Supports Divx,DVD, SVCD, VCD,**
- **CD,CD-R, CD-RW, HDCD, Kodak Picture CD**
- **HDMI, 1080I , IPOD Input , USD MP3 play, SCART Connection**
- **AM/FM Tuner**
- **Component, S-Video, AV Outputs**
- **Coaxial Digital Audio Output**



DVD CINEMA SYSTEM	Front,	Centre	Surround	Subwoofer
Driver units	3"*2	3"*2	3"	8"
Freq Response	150-20kHz	150-20kHz	150-20kHz	45-150Hz
Impedance	3Ω	6Ω	3Ω	6Ω
Power Handling	75W	150W	75W	150w
Dimensions (mm)-H*W*D	1150x96 x75	92 x380 x75	1150x96 x75	200x415x380
Net Weight (kg/Set)				
Gross Weight (kg/Set)				
Carton Size (mm)	1196x530x252			
CBM/Set	0.16			
20'(Set)	175			
40'(Set)	360			
40'HQ(Set)	420			

D180

FUNCTION:

- **1000W Total System Power**
- **DVD Player Supports Divx,DVD, SVCD, VCD,**
- **CD,CD-R, CD-RW, HDCD, Kodak Picture CD**
- **HDMI, 1080I , IPOD Input , USD MP3 play, SCART Connection**
- **AM/FM Tuner**
- **Component, S-Video, AV Outputs**
- **Coaxial Digital Audio Output**



DVD CINEMA SYSTEM	Front,	Centre	Surround	Subwoofer
Driver units	3"*2	3"*2	3"*2	8"
Freq Response	150-20kHz	150-20kHz	150-20kHz	45-150Hz
Impedance	3Ω	6Ω	3Ω	6Ω
Power Handling	125W	250W	125W	250w
Dimensions (mm)-H*W*D	1150x96 x75	92 x380 x75	1150x96 x75	200x415x380
Net Weight (kg/Set)	30.5			
Gross Weight (kg/Set)	35			
Carton Size (mm)	1177x650x251			
CBM/Set	0.192			
20'(Set)	142			
40'(Set)	299			
40'HQ(Set)	355			



Unit Size-LxWxH:430*348*60mm
Compatible with Divx/MPEG-4/DVD/DVD+RW/DVD-RW/DVD+R/DVD-R/VCD/CD/CD-R/CD-R W/SVCD/DVCD/DVCD/HDCD/KODAK PICTURE CD/WMA/JPEP
600W power output amplifier built in
HDMI output(1080i/720P upscaling)
USB input ,IPOD
Dolby digital, DTS Surround,5.1ch output
Component video output(Y,U,V)
S-video output
FM/AM tuner in, AUX in, Coaxial In, MP3 Line in, TV Audio in
PAL/NTSC system
Color VFD display
Full functional remote control
Different level lock,fragment selection
Display aspect ratio conversion (4:3/16:9) and zoom function

Power supply voltage/frequency	AC power 220~240V/50HZ
Power	100W
Certification	CE
Gift box Dimension (WxDxH)	522x121x415
Pcs in one carton	3
Carton Dimension (WxDxH)	542x379x442
Net weight(3 units in 1 carton)	
Gross weight(3 untis in 1 carton)	
20'Container load	920
40'Container load	1980
40'HQContainer load	2376